UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/777,478	02/12/2004	Nicola Funnell	1578.607 (11758-US-PAT)	2295
44208 7590 09/28/2009 DOCKET CLERK Kelly-Krause			EXAMINER	
			MANOHARAN, MUTHUSWAMY GANAPATHY	
PO BOX 12608 DALLAS, TX			ART UNIT	PAPER NUMBER
			2617	
			NOTIFICATION DATE	DELIVERY MODE
			09/28/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket.clerk@kelly-krause.com portfolioprosecution@rim.com

	Application No.	Applicant(s)				
	10/777,478	FUNNELL, NICOLA				
Office Action Summary	Examiner	Art Unit				
	MUTHUSWAMY G. MANOHARAN	2617				
The MAILING DATE of this communic Period for Reply	cation appears on the cover sheet with	the correspondence address				
A SHORTENED STATUTORY PERIOD FOWHICHEVER IS LONGER, FROM THE MADE - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this community of the provided for reply is specified above, the maximum state - Failure to reply within the set or extended period for reply within the set	AILING DATE OF THIS COMMUNICA f 37 CFR 1.136(a). In no event, however, may a rep inication. utory period will apply and will expire SIX (6) MONTH rill, by statute, cause the application to become ABAI	ATION. lly be timely filed HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed	on <i>14 July 200</i> 9.					
·						
•—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ⊠ Claim(s) 1-3 and 7-10 is/are pending 4a) Of the above claim(s) is/are 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-3 and 7-10 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction	e withdrawn from consideration.					
Application Papers						
9) The specification is objected to by the						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including to 11) The oath or declaration is objected to	= ' '					
Priority under 35 U.S.C. § 119						
	locuments have been received. locuments have been received in App f the priority documents have been re al Bureau (PCT Rule 17.2(a)).	plication No eceived in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892)		mmary (PTO-413)				
Notice of Draftsperson's Patent Drawing Review (PT 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date		Mail Date ormal Patent Application -				

Application/Control Number: 10/777,478 Page 2

Art Unit: 2617

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/14/2009 has been entered.

Response to Arguments

Applicant's arguments filed 7/14/2009 have been fully considered but they are not persuasive.

Applicant argues that, "Claim 1 further recites that the system information block of type 11 relates to idle and connected mode and the system information block of type 12 relates to connected mode. There is simply no disclosure in either the cited portion of Tohono nor elsewhere in the reference of the active cell, cell information list and hand-over candidate cell relating to separate modes".

Examiner respectfully disagrees. The primary reference, 3GPP teaches that System information block of type 11 relates to idle mode and connected mode and the system information block of type 12 relates to the connected mode as shown in the office action.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-3 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over 3GPP (TS 25.331 v3.16.0 (2003-9)) (hereinafter Reference (A)) in view of Tohono (US 2003/0040312).

Regarding **claim 1**, Reference (A) teaches a method for handling system information in a user equipment device configurable for use in a mobile telecommunications system, method comprising:

receiving a system information block of type 11 (SIB 11) relating to measurement information ("system Information Block type 12 (SIB 12)" in Section 8.1.1.6.11) which relates idle and connected mode (line 2 ,14, and 22 in Section 8.1.1.6.11) and a system information block relating to measurement information of type 12 (SIB 12) ("system Information Block type 12 (SIB 12)" in Section 8.1.1.6.12) which relates connected mode (line 1 in Section 8.1.1.6.12), each of the system information blocks of type 11 (SIB 11) and 12 including at least one system information block information element (lines 29-31 in Section 8.1.1.6.11) the information element related to a cell information list (lines 7-9, lines 24-28 and lines 31-32 in Section 8.1.1.6.11;

Application/Control Number: 10/777,478

Art Unit: 2617

lines 14-53 in Section 8.1.1.6.12) and having associated system information ("measurement identity", line 20 in Section 8.1.1.6.11);

identifying if a same information element is included in each of the SIB 11 and the SIB 12 (lines 49-50 in Section 8.1.1.6.11 and section 8.1.1.6.12).

Reference (A) did not teach specifically arranging the user equipment device to apply certain received information elements in a defined order and if the same information elements are related to the at least one cell information list, then reading and acting upon the system information associated with the identified same information elements according to the defined order; wherein the applied defined order in the user equipment device specifies reading and acting upon that system information associated with the information element from SIB 11 and the reading and acting upon the system information associated with the information element from SIB 12.

However, Tohono teaches in an analogous art method of arranging the user equipment device to apply certain received information elements in a defined order and if the same information elements are related to the at least one cell information list, then reading and acting upon the system information associated with the identified same information elements according to the defined order; wherein the applied defined order in the user equipment device specifies that system information associated with the information element from active set and the reading and acting upon the system information associated with the information element from candidate cell (active cell is searched first and then hand-over destination candidate cell, Paragraphs [0056-0059]; Note: It is well known in the art that cell information list corresponding to the active cell

Art Unit: 2617

reads on SIB 11 and cell information list corresponds to handover destination candidate cell reads on SIB 12 from Tohona,

Note: the condition if the same information elements are related to at least one cell information list, then reading and acting upon ... is ineffective. Since Tohona is applying the system information associated with the active cell (reads on SIB 11) first before applying the system information associated with the handover destination candidate cell this automatically satisfies the requirements.

Therefore, it would be obvious to one of ordinary skill in the art at the time of invention to use the method of arranging the user equipment device to apply certain received information elements in a defined order and If the same information elements are related to the at least one cell information list, then reading and acting upon the system information associated with the identified same information elements according to the defined order; wherein the applied defined order in the user equipment device specifies that system information associated with the information element from active set and the reading and acting upon the system information associated with the information element from candidate cell in order to provide an efficient search strategy.

In view of above it is apparent that Reference (A) in view of Tohona teaches specifically arranging the user equipment device to apply certain received information elements in a defined order and reading and acting upon the system information associated with the identified same information elements according to the defined order; wherein the order defined in the user equipment device specifies that system information associated with the information element from SIB 11 and the reading and

Art Unit: 2617

acting upon the system information associated with the information element from SIB 12.

Regarding **claim 2**, Reference (A) teaches a method according to claim 1, wherein the system information block information element is selected from the following system information block information elements; an information element relating to an intra-frequency cell information list (Section 10.3.7.33), an information element relating to an inter-frequency cell information list (Section 10.3.7.13) and an information element relating to an inter-Radio Access network (RAT) cell information list (Section 10.3.7.23).

Regarding **claim 3**, Reference (A) teaches a method according to claim I wherein the system information block information element is any of the following: "intrafrequency cell info list", "inter-frequency cell info list" and "Inter-RAT cell info list" (lines 28-30 in Section 8.1.1.6.11 and lines 8-10 in section 8.1.1.6.12).

Regarding **claim 7**, Reference (A) teaches a method for handling system information in a user equipment device, the device enablable for use in a UMTS mobile telecommunications system, the system comprising a network of a plurality of cells:

Receiving at least one each of system information of type System information Block (SIB) 11 and system information of type SIB 12; each of the SIB 11 and SIB 12 includes a same one or more information elements (IEs) relating to any of "intrafrequency cell info list", "inter-frequency cell info list" and "Inter-frequency cell info list" (lines 28-30 in Section 8.1.1.6.11 and lines 8-10 in section 8.1.1.6.12; Section 8.1.1.4, lines 1-3; Section 8.5.23, lines 6-15).

Reference (A) did not teach specifically arranging the user equipment device to apply certain received information elements in a defined order and reading and acting upon the system information associated with the identified same information elements according to the defined order; wherein the order defined in the user equipment device specifies that system information associated with the information element from SIB 11 and the applying the system information associated with the information element from SIB 12.

However, Tohono teaches in an analogous art method of arranging the user equipment device to apply certain received information elements in a defined order and reading and acting upon the system information associated with the identified same information elements according to the defined order; wherein the order defined in the user equipment device specifies that system information associated with the information element from active set and the applying the system information associated with the information element from candidate cell

(active cell is searched first and then hand-over destination candidate cell, Paragraphs [0056-0059]; Note: It is well known in the art that cell information list corresponding to the active cell reads on SIB 11 and cell information list corresponds to handover destination candidate cell reads on SIB 12 from Tohona, Note: the determining condition if so then reading and acting upon ... is ineffective. Since Tohona is applying the system information associated with the active cell (reads on SIB 11) first before applying the system information associated with the handover destination candidate cell this automatically satisfies requirements).

Art Unit: 2617

Therefore, it would be obvious to one of ordinary skill in the art at the time of invention to use the method of arranging the user equipment device to apply certain received information elements in a defined order and reading and acting upon the system information associated with the identified same information elements according to the defined order; wherein the order defined in the user equipment device specifies that system information associated with the information element from active set and the applying the system information associated with the information element from candidate cell in order to provide an efficient search strategy.

In view of above it is apparent that Reference (A) in view of Tohona teaches specifically arranging the user equipment device to apply certain received information elements in a defined order and reading and acting upon the system information associated with the identified same information elements according to the defined order; wherein the order defined in the user equipment device specifies that system information associated with the information element from SIB 11 and the applying the system information associated with the information element from SIB 12.

Claims 8-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Reference (A) in view of in view of Tohono (US 2003/0040312) and Laitinen et al. (hereinafter Laitinen) (US 6765891).

Regarding **claim 8**, Reference (A) teaches receiving two system information blocks (SIBs), each SIB comprising at least one information element (IE) that is related to a cell information list and where each SIB is a different type of SIB; determine if a

same IE is included in each of one SIB (a first SIB) and other SIB (a second SIB) relate to cell information list IE (lines 28-30 in Section 8.1.1.6.11 and lines 8-10 in section 8.1.1.6.12; Section 8.1.1.4, lines 1-3; Section 8.5.23, lines 6-15).

Reference A does not teach specifically if the first IE and the second IE include the same cell information list IE, then apply the IEs in a specific order, the specified order determined by the type of SIB in which the IE was received. However, Tohono teaches in an analogous art teaches if the first IE and the second IE include the same cell information list IE, then apply the IEs in a specific order, the specified order determined by the type of SIB in which the IE was received (active cell is searched first and then hand-over destination candidate cell, Paragraphs [0056-0059]; Note: It is well known in the art that cell information list corresponding to the active cell reads on SIB 11 and cell information list corresponds to handover destination candidate cell reads on SIB 12 from Tohona,

Note: the condition if the same information elements are related to at least one cell information list, then reading and acting upon ... is ineffective. Since Tohona is applying the system information associated with the active cell (reads on SIB 11) first before applying the system information associated with the handover destination candidate cell this automatically satisfies the requirements.

The combinations of Reference (A) and Tohono teaches all the particulars of the claim 1, except a microprocessor connected to memory, the memory comprising software disposed therein, the software configured to be run by the microprocessor, where the microprocessor running the software is configured to carry out at least the

Application/Control Number: 10/777,478 Page 10

Art Unit: 2617

operations. However, Laitinen teaches in analogous art, a microprocessor connected to memory, the memory comprising software disposed therein, the software configured to be run by the microprocessor, where the microprocessor running the software is configured to carry out at least the operations (Col. 4, lines 29-40).. Therefore, it would be obvious to one of ordinary skill in the art at the time invention to implement the method using a a microprocessor connected to memory, the memory comprising software disposed therein, the software configured to be run by the microprocessor, where the microprocessor running the software is configured to carry out at least the operations. This modification provides a method of implementation of Radio Resource Control protocol for the UE-UTRAN radio interface.

Regarding **claim 9**, Reference (A) teaches the system information block information element is any of the following: "intra-frequency cell info list", "interfrequency cell info list" and "Inter-RAT cell info list" (lines 28-30 in Section 8.1.1.6.11 and lines 8-10 in section 8.1.1.6.12).

Regarding **claim 10**, Reference A further teaches two received SIBs comprise one type SIB 11 and one type SIB 12 (sections 8.1.1.6.11 and 8.1.1.6.12).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MUTHUSWAMY G. MANOHARAN whose telephone number is (571)272-5515. The examiner can normally be reached on 7:00AM-2:30 PM.

Application/Control Number: 10/777,478 Page 11

Art Unit: 2617

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eng George can be reached on 571-272-7495. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/George Eng/ Supervisory Patent Examiner, Art Unit 2617